




STOVE FAN



This manual is for the following models:

HL-500J

www.firedupcorporation.com/manual

CONTENTS

SECTION 01

Safety information 02

SECTION 02

Use & Installation 03
Parts Identification 03

SECTION 03

Guarantee 04

SAFETY INFORMATION

The fan base and blades are made from anodised aluminium and are resistant to rust and corrosion.

This stove fan generates its own electricity by converting the temperature difference into electricity.

The metal strip on the base of the fan is a Bi-metallic strip designed to raise the fan slightly as the maximum operating temperature is reached.

The use of the stove fan in temperatures above 345°C may damage the fan and void the warranty.

Keep away from children whilst in operation.

To move or carry the fan, always use the extendable handle or wear heat proof gloves.

Never handle the base of the stove fan or set the fan down on an unprotected surface when hot.

IMPORTANT: The motor does NOT require lubrication. **DO NOT** attempt to service this product.


USE & INSTALLATION

The stove fan is designed for use on freestanding stoves with a surface temperature between 50°C and 345°C. The fan requires a temperature above 50°C to generate electricity to start turning. Remove the fan from the stove if the temperature exceeds 345°C.


- Position the stove fan on a smooth flat surface of the stove top.
- **FOR SOLID FUEL/WOOD BURNING STOVES:** Position the stove fan near the side or the back of the stove. Not at the front.

The hotter the stove, the more the fan will rotate. The optimal working temperature is between 200°C and 320°C.

DO NOT place fan in this area on solid fuel/Wood burning stoves.



PARTS IDENTIFICATION



CONFORMITY WITH DIRECTIVES

AFFIX RECEIPT OR PROOF
OF PURCHASE HERE

Conforms with relevant European Directives

ENVIRONMENTAL PROTECTION

- (WEEE) Waste Electrical and Electronic Equipment

Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice.

GUARANTEE

For your convenience, you are not required to complete a form and return it to us in order to validate your guarantee. However, please ensure that you retain your receipt which will act as both proof of purchase and a guarantee validation document. **We recommend that you attach your receipt to this documentation.**

Your product carries a 12 month guarantee from the date of original purchase (or as otherwise provided in writing at point of purchase). If your product fails to operate to its specification, due to faulty workmanship or materials during the guarantee period, we will either repair or replace the product. We will use our discretion to determine whether to offer a repair or provide a replacement. The product will not be covered by the guarantee if it has been misused, transformed, modified or altered in any way.

If your product fails within the guarantee period please ensure that you have all necessary documentation available including proof of purchase (receipt or invoice with serial number, location and date of purchase) in addition to all original undamaged packaging and leaflets etc. It is strongly recommended that you inspect your product carefully before it is used or installed. For full details of your product you should refer to the instruction manual which accompanies the product. You are strongly advised to read this manual carefully in its entirety and to retain it for future reference.

This product guarantee does not affect your statutory rights.

CUSTOMER HELPLINE

+44 (0) 3300 882 069

customer.support@firedupcorporation.com



www.firedupcorporation.com

Fired Up Corporation Ltd
Fired Up Buildings
HD1 3LF, UK

Fired Up Corporation
(Ireland) Ltd
71, D02 P593, Dublin